# **ICECAPS** Weekly Report

Oct 13-19, 2014 Jennie Mowatt



Outgoing summer crew flight. 10/17/14

# General:

• 10/15: Station wide power outage/switch to E-Gen performed for mechanic turnover. Started at 1212Z, completed at 1226Z. Brief data interruptions to POSS during that window.

# **Significant Weather Observations:**

- 10/13: Freezing fog, 8kts, -35C
- 10/14: Overcast, 6kts, -27C
- 10/15: Some freezing fog on the horizon, 3kts, -35C
- 10/16: Light freezing fog, 0kts, -45C
- 10/17: Freezing fog, 12kts, -40C
- 10/18: Freezing fog, 8kts, -34C
- 10/19: Few clouds, 1kts, -40C

## **Dataman Account:**

- Operating normally.
- Irregularities noted during routine check of spot\_check\_archive.sh. File appears to have dropped off after Sodar, despite all data to have seemingly transferred (To Boulder file is empty). Data was also transferred a day late i.e. 10/11 data transferred on 10/13, 10/12 was not added in as well.
- Error found in scripts and corrected by Shupe on 10/13. Any remaining data was pushed through at that time.

• 10/15, 1640Z: Dataman hard drive #1 swapped with #3. #1 packaged up in Pelican case to be sent back to Boulder with Matt O.

#### **MWR**:

- HATPRO: operating normally.
- 150-90: operating normally.

## **SODAR:**

• Operating normally.

# **POSS:**

- Operating normally.
- 10/13: Data collection stopped at 1224Z due to computer reboot. Restarted at 1248Z.
- 10/15: Brief data outages due to mechanic turnover of E-gen (1212-1226Z).

# **MMCR:**

• Offline as of 9/6.

## **CAPABL:**

- Offsite as of 8/19.
- Continuing to monitor water storage system during winter.

#### MPL:

- Operating normally.
- Afterpulse calibration performed on 10/15. AMCS card timeout initiated after screwing lid onto laser. Resolved by rebooting computer.

## **VCEIL:**

• Operating normally.

# **Hotplate:**

• Operating normally.

#### IceCAM:

• Operating normally

#### **PAERI:**

- Operating normally
- 10/15: Fan found dead during rounds due to seized bearings. Replaced entire fan assembly and reinstalled at 1258Z.
- 10/15: New 1A fuse replaced old 1A fuse (was not burnt out but done as a precautionary). Fan offline from 1905-1910Z.

#### **ASIA-A:**

• Operating normally.

## TSI:

• Offline and stored in MSF for winter.

# **IcePIC:**

• No pics taken this week.

# **MASC:**

• Offsite as of 8/13.

# Radiosonde:

• Twice daily sondes.